




Model **PL1310 & PL1310C**

2007-2013 Chevy Silverado / GMC Sierra 1500 (New Body)  
2008-2014 Chevy Silverado / GMC Sierra 2500/3500 (New Body)

**Package Contents:** Locking Bezel,  
Replacement Handle  
2 Keys, Instructions  
1 Bolt 1/4" x 2"  
1 Washer 1 1/2"



**Tools Required:** 1/2" Socket  
10 mm Socket,  
Small Flat Head  
Screwdriver

**FULL  
HANDLE  
REPLACEMENT**



**STEP 1** - Lower tailgate and remove the bottom center bolt on the inside (backside) of the tailgate. Gently shut the tailgate. Remove the plastic bezel by carefully prying with a flat head screw driver (it is recommended to use a rag or cardboard between the tailgate and screwdriver so not scratch the paint) in the bottom center to pop the bezel clip out of the tailgate. Next gently pry at the upper two corners to release the bezel clips (again it is recommended to use a rag or cardboard between the tailgate and screwdriver so not scratch the paint). The tailgate should look like the picture shown.

**STEP 2** – Remove the latch rods from the latch rod clips. Do this by turning the clip off the rod and pulling the rod out of the clip. Remove the other two bolts on the inside (backside) of the tailgate. Hold the handle at the same time to keep it from moving as you remove the bolts. Next remove the OEM handle from the tailgate. Remove the bolt that holds the Pop N Lock components together (do not discard the bolt and washer as they will be used) and install the handle assemble in the tail- gate in the same place as the OEM handle. Reinstall the two upper bolts. The bolts go through the inside (backside) of the tailgate and thread into the handle assembly. Do not tighten yet, leave a little loose to allow the handle to move.



**STEP 3** - Insert the latch rods into the rod clips and snap the clips onto the rods. Install the Pop N Lock bezel. Make sure the lock arm aligns to go into the square opening on the handle assemble. Snap the bezel clips into the tailgate. Place the bolt and washer (was removed to separate the components) into the bottom center hole on the inside (backside) of the tailgate. This will thread into the back side of the bezel. You may have to slightly move the handle bezel assemblies to get the bolt to start to thread. Once it starts to thread tighten bolt. Then tighten the other two bolts.

**STEP 4** - Test the unit. The vertical position means being unlocked turning the key clockwise to lock. The horizontal position being locked turning counterclockwise to unlock.



**Technical Support:**

Call 1-800-342-5911

[technicalsupport@popandlock.net](mailto:technicalsupport@popandlock.net)

## LIMITED WARRANTY TERMS AND CONDITIONS

- (1) **Installation.** Pop & Lock™, LLC (and Pop & Lock™ Corporation) is not responsible for installing the Pop & Lock™ or for the harm suffered by any person as a result installing it.
- (2) **Warranties.**
- Customer acknowledges that it is unreasonable to believe that any device whatever will prevent a theft in the case of every attempt and that the most that can be expected from a so-called anti-theft or security device is that it will deter many thieves.
  - POP & LOCK™ LLC. (and Pop & Lock™ Corporation) MAKES, AND CUSTOMER RECEIVES, NO WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THE WARRANTIES OF TITLE TO THE POP & LOCK™ AND THEIR MERCHANTABILITY, PARTICULARLY NO WARRANTY OF FITNESS FOR A PARTICULAR USE OR PURPOSE OR AGAINST INFRINGEMENT.**
  - As Customer's only remedy, Pop & Lock™, LLC (and Pop & Lock™ Corporation) will repair or replace, at its option and without charge, any lock that is defective in material or workmanship when received by Customer and is returned to Pop & Lock™ LLC (and Pop & Lock™ Corporation), FOB Pop & Lock™ Corporation's offices, within one (1) year after it's receipt by the Customer. Pop & Lock LLC will ship all replacement, or repaired, Locks to Customer, FOB Pop & Lock™'s shipping point.
  - Factory support is only available for Pop & Lock™ products purchased as **new** through an Authorized Pop & Lock™ dealer.  
***Please Note: Pop & Lock™ Products purchased on auction sites such as Amazon, Ebay and Craigslist, to name a few, will not be covered under factory warranty under any circumstance. Pop & Lock™, LLC (and Pop & Lock™ Corporation) is unable to verify whether products sold through Auction Sites are new, used, or refurbished, and as such, Pop & Lock, LLC (and Pop & Lock™ Corporation) is unable to warranty such purchases. Pop & Lock, LLC advises using extreme caution when buying through auction sites as you'll be doing so at your own risk.***
- (3) **No Liability.** Pop & Lock™ Corporation is not liable for any loss or damage claimed by Customer or any third person to have been suffered or incurred as a result or, or related to, the Locks purchased under this Agreement, regardless of the circumstances or form of action, except any bodily injury or death for which Pop & Lock™ is liable under products-liability law. Without limiting the generality of the foregoing, in no event will Pop & Lock™ LLC be liable to Customer for any indirect, special, or consequential damages, regardless of the circumstances or the cause of action, particularly not for the value of a vehicle, or any other money damages in the event that a tailgate is stolen either notwithstanding the use of a Pop & Lock™ or when it has been returned for repair or replacement.

## END OF TERMS AND CONDITIONS

POP & LOCK LLC 1271 CONTRACT DRIVE GREEN BAY, WI USA 54304

Additional Install Instructions and answers to technical questions can be found on our website at [www.popandlock.net](http://www.popandlock.net) or by calling

**Technical Support 1-800-342-5911 option 1**

**Monday – Friday 8:30am to 4:30pm CST**

---

**Pop and Lock's limited warranty expires one (1) year after date of purchase.**

*Proof of purchase is required and can be submitted through any of the following methods:*

- E-mail: [technicalsupport@popandlock.net](mailto:technicalsupport@popandlock.net)
- Fax: 920-491-5911
- Mail: 1271 Contract Ave, Green Bay, Wisconsin (USA) 54304

*Please be sure to include:*

- Name, address and phone number
- Model and year of truck
- Model/Part number of the lock
- Brief description of the problem

**Thank You!**

