




INSTALLATION INSTRUCTIONS

Model PL6250
2017-2019 Honda Ridgeline Add-On Kit
(Must have PL8600 Installed)

Package Contents: Lock Bezel, 2 Keys, Locking Bolt Linkage, Crank Linkage, Replacement Handle Rod, 1 Screw, 1 Split Lock Washer, 1 Flat Washer, 2 Camera screws and washers

Tools Required: 10 MM Socket, T40 Torx Bit, Phillip Head, 5/32" Allen Wrench, Rubber Mallet



STEP 1 - Lower the tailgate. Remove the four Phillips head screws from the top trim, slide the trim to the right (passenger) side using a rubber mallet and lift to remove it. Apply downward pressure on the top trim if it bows up. Remove the white clips that remain on the tailgate by turning them 45 degrees to pull out. **NOTE THE ORIENTATION BEFORE REMOVAL.** Remove the T40 torx screws holding the interior trim panel and lift it off.

STEP 2 - Remove the handle rod from mechanicals by turning the green rod clip and pulling the rod out of the clip. Swing the rod up and out of the way. Unplug the camera from the tailgate connector. Remove the two screws holding the factory handle in place; there are tabs that will hold the handle from falling out of the tailgate, but for extra assurance hold the handle in place so not let the handle to fall. Remove the factory handle.


STEP 3 - Remove the camera from the old handle by unscrewing the two screws on its mounting plate. Attach it to the new handle using provided screws and washers. Use caution! Pressure on the camera can cause it to separate from the mounting plate. Attach the replacement handle rod to the Pop and Lock handle, insert the handle into the tailgate, reinstall the two bolts that hold the handle in the tailgate, and attach the handle rod into the green clip. Plug the camera into the tailgate connector.

STEP 4 - Install the crank linkage by holing the slotted end onto the bolt linkage and then screw the black locking pawl onto the key cylinder using the provided screw, split lock washer, and flat washer.

STEP 5 - Check the functioning of the lock.

Lock - Turn the key to the right (passenger side) to the two o'clock position and then back to 12 o'clock to lock.

Unlock - Turning the key to the left (driver side) to the ten o'clock position and then back to 12 o'clock to unlock.



STEP 6 - Replace the slide bolt that is on the power lock with the supplied crank link, screw, and washer as shown in the picture. Test functionality to ensure that everything is working properly.

STEP 7 - Make sure camera is working properly.

STEP 8 - Replace the interior trim panel of the tailgate using the torx screws removed in Step 1. Replace the white top trim clips onto the tailgate, making sure they are oriented as noted in Step 1. Carefully locate the top trim over the clips and press it firmly into place. You will hear and feel them snap into place. Adjust the position of the top rim once again using a rubber mallet. Reinstall the four Phillips Head screws.

Technical Support:
Call 1-800-342-5911

technicalsupport@popandlock.net

LIMITED WARRANTY TERMS AND CONDITIONS

(1) **Installation.** Pop & Lock™, LLC (and Pop & Lock™ Corporation) is not responsible for installing the Pop & Lock™ or for the harm suffered by any person as a result installing it.

(2) **Warranties.**

- a. Customer acknowledges that it is unreasonable to believe that any device whatever will prevent a theft in the case of every attempt and that the most that can be expected from a so-called anti-theft or security device is that it will deter many thieves.
- b. **POP & LOCK™ LLC. (and Pop & Lock™ Corporation) MAKES, AND CUSTOMER RECEIVES, NO WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THE WARRANTIES OF TITLE TO THE POP & LOCK™ AND THEIR MERCHANTABILITY, PARTICULARLY NO WARRANTY OF FITNESS FOR A PARTICULAR USE OR PURPOSE OR AGAINST INFRINGEMENT.**
- c. As Customer's only remedy, Pop & Lock™, LLC (and Pop & Lock™ Corporation) will repair or replace, at its option and without charge, any lock that is defective in material or workmanship when received by Customer and is returned to Pop & Lock™ LLC (and Pop & Lock™ Corporation), FOB Pop & Lock™ Corporation's offices, within one
 - year after it's receipt by the Customer. Pop & Lock LLC will ship all replacement, or repaired, Locks to Customer, FOB Pop & Lock™'s shipping point.
- d. Factory support is only available for Pop & Lock™ products purchased as **new** through an Authorized Pop & Lock™ dealer.

Please Note: *Pop & Lock™ Products purchased on auctions sites such as Craigslist etc. will not be covered under factory warranty. Products purchased from an authorized dealer as "new" on websites such as Amazon and Ebay must follow their website warranty policy, process and procedures. Pop & Lock™ Products sold as "used", "refurbished", "open box" etc., cannot be verified by Pop & Lock™, LLC (and Pop & Lock™ Corporation), and as such, Pop & Lock, LLC (and Pop & Lock™ Corporation) is unable to warranty such purchases. Pop & Lock, LLC advises using extreme caution when buying through auction sites as you'll be doing so at your own risk.*

(3) **No Liability.** Pop & Lock™ Corporation is not liable for any loss or damage claimed by Customer or any third person to have been suffered or incurred as a result or, or related to, the Locks purchased under this Agreement, regardless of the circumstances or form of action, except any bodily injury or death for which Pop & Lock™ is liable under products-liability law. Without limiting the generality of the foregoing, in no event will Pop & Lock™ LLC be liable to Customer for any indirect, special, or consequential damages, regardless of the circumstances or the cause of action, particularly not for the value of a vehicle, or any other money damages in the event that a tailgate is stolen either notwithstanding the use of a Pop & Lock™ or when it has been returned for repair or replacement.

END OF TERMS AND CONDITIONS

POP & LOCK LLC, 1271 CONTRACT DRIVE, GREEN BAY, WI USA 54304

Additional Install Instructions and answers to technical questions can be found on our website at www.popandlock.net or by calling Technical Support e-mail technicalsupport@popandlock.net or call 1-800-342-5911 option 1.

Pop and Lock's limited warranty expires one (1) year after date of purchase.

Proof of purchase is required for warranty claims. Please submit a scanned copy or electronic image/photo of your receipt through any of the following methods:

- E-mail: technicalsupport@popandlock.net
- Fax: 855-491-5911
- Mail: 1271 Contract Ave, Green Bay, Wisconsin (USA) 54304

Please be sure to include:

- Name, address and phone number
- Model and year of truck
- Model/Part number of the lock
- Brief description of the problem

